

ECE 160 -Fall 2014 - Solution to Lab 3 (evalexpr.txt)

1. $5 + 7/2$ / higher precedence than +
5 + 3 integer division
8
2. $5.0 + 7/2$ / higher precedence than +
5.00000000000 + 3 integer division
8.00000000000
3. $5 + 7.0f/2$ / higher precedence than +
5 + 3.500000 mixed mode division
8.500000 mixed mode addition
4. $19 \% 3$ Quotient is 6, remainder 1
1 (int)
5. $3 \% 19$ Quotient is 0, remainder 3
3 (int)
6. $3.0 \% 19.0$
Illegal % only works with int
7. $19/3$
6 integer division
8. $3/19$
0 integer division
9. $3.0/10.0$
0.300000000000000
10. $10.0f/3.0f$
3.333333
11. $10/3.0$ int / double gives double
3.33333333333333
12. $3/10.0$ int / double give double
0.300000000000000
13. $5.0 + 5 + 5 \% 10 * 2$
5.000000000000 + 5 + 5 * 2
5.000000000000 + 5 + 10
10.000000000000 + 10
20.000000000000
14. $3.0 + 8.0 * 10 / 20$
3.000000000000 + 80.000000000000 / 20
3.000000000000 + 4.000000000000
7.000000000000

15. 5 * 3 % 3 / 6 + 14 + 10 / 2
15 % 3 / 6 + 14 + 10 / 2
0 / 6 + 14 + 10 / 2
0 + 14 + 10 / 2
0 + 14 + 5
14 + 5
19

16. 5 * (3 % 3) / 6 + 14.0 + 10/3
5 * 0 / 6 + 14.0000000000000 + 10/3
0 / 6 + 14.0000000000000 + 3
0 + 14.0000000000000 + 3
14.0000000000000 + 3
17.0000000000000

17. 2 * 3 + (4 + 5) % 2 * 6
2 * 3 + 9 % 2 * 6
6 + 9 % 2 * 6
6 + 1 * 6
6 + 6
12

18. 100 / 20 / 5 / 2
5 / 5 / 2
1 / 2
0

19. int big=2; float abc=2.5, g;
g = big / 2 + big * 4 / big - big + abc / 3
g = 2 / 2 + 2 * 4 / 2 - 2 + 2.5 / 3
g = 1 + 8 / 2 - 2 + 0.8333333
g = 1 + 4 - 2 + 0.8333333
g = 5 - 2 + 0.8333333
g = 3 + 0.8333333
g = 3.833333
Final value for g: 3.833333

20. int ink=4, act=1, on; float tig=3.2;
on = ink * act / 2 + 3 / 2 * act + 2 + tig;
on = 4 * 1 / 2 + 3 / 2 * 1 + 2 + 3.2
on = 4 / 2 + 3 / 2 * 1 + 2 + 3.2
on = 2 + 3 / 2 * 1 + 2 + 3.2
on = 2 + 1 * 1 + 2 + 3.2
on = 2 + 1 + 2 + 3.2
on = 3 + 2 + 3.2
on = 5 + 3.2
on = 8.2
Final value for on: 8

```
21. int qui=4, add=2, gmd=2, s;
    s = qui * add / 4 - 6 / 2 + 2 / 3 * 6 / 2
    s = 4 * 2 / 4 - 6 / 2 + 2 / 3 * 6 / 2
    s = 8 / 4 - 6 / 2 + 2 / 3 * 6 / 2
    s = 2 - 6 / 2 + 2 / 3 * 6 / 2
    s = 2 - 3 + 2 / 3 * 6 / 2
    s = 2 - 3 + 0 * 6 / 2
    s = 2 - 3 + 0 / 2
    s = 2 - 3 +
    s = -1 +
    s =
    Final value for s: -1

22. int a=4, g=3, s;
    s = 1 / 3 * a / 4 - 6 / 2 + 2 / 3 * 6 / g;
    s = 1 / 3 * 4 / 4 - 6 / 2 + 2 / 3 * 6 / 3
    s = 0 * 4 / 4 - 6 / 2 + 2 / 3 * 6 / 3
    s = 0 / 4 - 6 / 2 + 2 / 3 * 6 / 3
    s = 0 - 6 / 2 + 2 / 3 * 6 / 3
    s = 0 - 3 + 2 / 3 * 6 / 3
    s = 0 - 3 + 0 * 6 / 3
    s = 0 - 3 +
    s = -3 +
    s =
    Final value for s: -3

23. float g;
    g = 10 / 5 / 2 / 1;
    g = 2 / 2 / 1
    g = 1 / 1
    g =
    Final value for g: 1.000000

24. float b;
    b = 3 / 2 + 5 * 4 / 3;
    b = 1 + 5 * 4 / 3
    b = 1 + 20 / 3
    b = 1 +
    b = 7
    Final value for b: 7.000000

25. float a,c;
    int b;
    a = b = c = 3.0 / 4.0
    a = b = c = 0.750000000000

    Final value for c: 0.750000
    Final value for b: 0
    Final value for a: 0.000000
```

26. $Z = (8.8 * (a+b) * (a+b) / c - 0.5 + 2*a / (q+r)) / ((a+b) * (1/m))$;
OR
 $Z = (8.8 * (a+b) * 2 / c - 0.5 + 2*a / (q+r)) / ((a+b) * (1/m))$;

27. $x = (-b + \sqrt{b*b - 4*a*c}) / (2*a)$;

28. $R = (2*v + 6.22 * (c+d)) / (g+v)$;

29. $A = (7.7 * b * (x*y + a) / c - 0.8 + 2*b) / ((x+a) * (1/y))$;

30. 0 2 0.000000 2.000000

31. a = 0, b = -6

32. 2

33. nn
nn /n/n nn/n